INDEX OF AUTHORS.

PAGE

BAYLIS, H. A. On a Collection of Nematodes from Nigerian Mammals (chiefly Rodents). (With 25 Text-figures) 280

BAYON, H. P. On the Influence of Spirochaetal Infection on Rous-Sarcoma in the Fowl 119

BISHOP, A., *see* LAIDLAW

BOULENGER, C. L. Report on a Collection of Parasitic Nematodes, mainly from Egypt. Part V. Filarioidea. (With 51 Text-figures) 32

BUCKLAND, F., *see* ELTON

CARMAN, J. A., *see* DAUBNEY

CAWSTON, F. G. Bilharzia Infection in South Africa. (With a Map) 250

DAUBNEY, R. and CARMAN, J. A. Helminthic Infestations of Natives in the Kenya Highlands 185

DOBELL, C. Researches on the Intestinal Protozoa of Monkeys and Man. I. General Introduction, and II. Description of the whole Life-history of *Entamoeba hystolytica* in Cultures. (With Plates XXII–XXV and 2 Text-figures) . . . 357

DOBELL, C., *see* LAIDLAW

DUKE, H. L. Immunological Studies of *Trypanosoma gambiense* and *T. rhodesiense* 427

ELTON, C. and BUCKLAND, F. The Gape-worm (*Syngamus trachea* Montagu) in Rooks (*Corvus frugilegus* L.) 448

FERRIS, G. F. The Mallophagan Family Menoponidae. Part III. (With 3 Text-figures) 221

HENDERSON, J. R. A Note on some External Characters of Larvae of *Xenopsylla cheopis*. (With 4 Text-figures) 115

HUGHES, R. CHESTER. Studies on the Trematode Family Strigeidae (Holostomidae) No. XII. *Agamodistomum la-ruei* sp. nov. (With 3 Text-figures) 413

JAMESON, A. PRINGLE. The Action of Certain Drugs and Chemicals on *Balantidium coli* Malm. in Cultures 66

JOBLING, B. The Structure of the Head and Mouth-parts in the Nycteribiidae (Diptera Pupipara). (With Plates XIV–XVI and 4 Text-figures) 254

LAIDLAW, P. P., DOBELL, CLIFFORD, and BISHOP, ANN. Further Experiments on the Action of Emetine in Cultures of *Entamoeba histolytica* 207

LEIGH-SHARPE, W. HAROLD. *Brachiella obesa*, a Parasitic Copepod of *Trigla cuculus*, with a Description of the Male. (With 4 Text-figures) 25

LEIGH-SHARPE, W. HAROLD. The Genus *Pennella* (Copepoda) as represented by the Collection in the British Museum. (With 7 Text-figures) 79

LEIGH-SHARPE, W. HAROLD. The Genera *Sphyrion* and *Basanistes* (Copepoda) as represented by the Collection in the British Museum. (With 4 Text-figures) . 179

LEIGH-SHARPE, W. HAROLD. The Genera *Charopinus* and *Lernaeopodina* (Copepoda) as represented by the Collection in the British Museum. (With 6 Text-figures) 273

LEIGH-SHARPE, W. HAROLD. Degeneracy in Parasitic Copepoda in Relation to the Distribution of their Hosts in Time 421

MATHESON, ROBERT. Notes on a Small Collection of Bat Ecto-Parasites . . . 173

MEGGITT, F. J. Report on a Collection of Cestoda, mainly from Egypt. Part III. Cyclophyllidea (Conclusion): Tetraphyllidea. (With Plate XIX) 315

PAGE

MYERS, L. EMERY. The American Swallow Bug, *Oeciacus vicarius* Horvath (Hemiptera, Cimicidae). (With Plates X–XIII) 159

PERKINS, MICHAEL. A Review of the Telorchiinae, a Group of Distomid Trematodes. (With Plates XX and XXI) 336

PETROW, A. M., *see* SKRJABIN

ROBERTSON, MURIEL. Notes on *Heteromita* (Protozoa, Flagellata). (With Plate I, containing Figs. 1–17) 10

SKRJABIN, PROF. K. I. and PETROW, A. M. A Description of the Genus *Crenosoma* Molin, 1861 (Metastrongylidae, Nematoda). (With 15 Text-figures) 329

SVENSSON, RUTH M. A Survey of Human Intestinal Protozoa in Sweden and Finland. (A Preliminary Report) 237

TATE, P. Notes on the Genera *Ectomyces* and *Termitaria*, Fungi Parasitic on Termites 77

THOMPSON, W. R. A Contribution to the Study of Biological Control and Parasite Introduction in Continental Areas. (With 5 Text-figures) 90

THOMPSON, W. R. A Contribution to the Study of the Dipterous Parasites of the European Earwig (*Forficula auricularia* L.). (With Plates IV–IX and 4 Text-figures) 123

VAN CLEAVE, H. J. Acanthocephala from China. I. New Species and New Genera from Chinese Fishes. (With 9 Text-figures) 1

WARBURTON, CECIL. *Ornithomyia avicularia* (Diptera Hippoboscidae) as the Carrier of Mallophaga, with some Remarks on Phoresy in Insects. (With 1 Figure) . 175

WARBURTON, CECIL. The Harvest Bug. An Account of the Present State of our Knowledge of the Larval Thrombidiid Mites attacking Man. (With 2 Text-figures) 228

WOODLAND, W. N. F. On a New Genus of Avitellinine Tapeworms from Ruminants in East Africa. (With Plates II and III, including Figs. 1–20) 56

WOODLAND, W. N. F. On some New Avian Cestodes from the Sudan. (With Plates XVII and XVIII) 305

WRIGHT, W. REES. Note on the Locomotion of the Redia of *Fasciola hepatica* . 113

INDEX OF SUBJECTS.

ACARINA — PAGE

Larval trombidiid mites attacking man 228

Spelaeorhynchus spp. on Bats 173

Antihelminthic treatment of Kenya natives . . . . . 188 *et seq.*

Bilharzia infection in South Africa 250

Birds, *see* Vermes

Control, biological, *see* Insecta

CRUSTACEA

. COPEPODA

. degeneracy in relation to host distribution in time 421

. hosts of, *see* degeneracy

. *Basanistes hucho* (Schrank 1786) 183

. *Brachiella obesa* (Krøyer 1837) from *Trigla cuculus* 25

. *Charopinus* 273

. *bicaudatus* (Krøyer 1837) 277

. *dalmanni* (Retzius 1829) 273

. *dubius* T. Scott 1900 275

. *ramosus* Krøyer 1863 276

. *Lernaeopodina* 278

. *clothae* (T. Scott 1900) 278

. *similis* (T. & A. Scott 1913) 279

. *Pennella* Oken 1815 79

. *Pennella balaenopterae* Koren and Danielssen 1877 86

. *blainvillii* (Le Sueur 1824) 84

. *exocoeti* (Holten 1802) 83

. *filosa* (Lin. 1758) 82

. *orthagorisci* Wright 1870 81

. *pustulosa* Baird 1847 88

. *sagitta* (Lin. 1758) 80

. *Sphyrion* Cuvier 1830 179

. *Sphyrion kingi* Cunningham 1871 182

. *laevigatum* Guérin-Men. 1829 180

. *lumpi* (Krøyer 1845) 179

Drugs, etc., action of, on *Balantidium coli* 66

. *see* Antihelminthics, Emetine

Earwig, *Forficula auricularia*, dipterous parasites of 123

Emetine, effect on *Entamoeba coli* cultures 207

Fish, *see* Copepoda, Vermes

Fowls, *see* Rous

FUNGI

. *Ectomyces* and *Termitaria*, parasitic on Termites 77

. *Ectomyces calotermi* Tate 1927 = *Termitaria snyderi* Thaxter 1920 77

Harvest bug, *see* Acarina

Immunity in Trypanosomiasis of man 427

INSECTA PAGE
. biological control, *see* special index on p. 90
. CIMICIDAE
. *Cimex pilosellus* Horvath 172
. *Oeciacus vicarius* Horvath on swallows, structure and biology . . . 159
. DIPTERA
. *Cyclopodia sykesi* Westw. 254
. *Digonichaeta setipennis* Fall., life-history and structure 123
. *Miltogramma punctatum* Meig., structure of 133, 156, 157
. Nycteribiidae, structure of head and mouth-parts 254
. *Ornithomyia avicularia* [Hippobosc.] carrier of Mallophaga 175
. *Rhacodineura antiqua* Meig., life-history and structure 123
. Streblidae parasitic on bats 174
. Fleas (Siphonaptera)
. *Xenopsylla cheopis*, external characters of Larvae 115
. *Forficula auricularia* L. (earwig)
. dipterous parasites of 123
. Mallophaga carried by *Ornithomyia*, etc. 175
. Menoponidae 221
. *Myrsidea victrix* Waterston 221
. *Tetrophthalmus chilensis* Grosse 224
. *Trinoton anserinum* (Fabr.) 226
. Polyctenidae [Hemiptera] parasitic on bats 174
. Termites, fungous parasites of 77
Kenya Highland natives, helminthic infestations in 185
Macacus spp., intestinal Protozoa of 362
Mammalia, *see* Vermes, Acarina, Insecta (parasites of)
Mollusca, Snails in relation to *Schistosoma* 250
Parasites, *see* Insecta
Phoresy in Insecta 175

PROTOZOA
. human intestinal 237
. intestinal, of monkeys and man 357
. AMOEBAE
. *Dientamoeba fragilis* 239
. *Endolimax nana* 239
. *Entamoeba coli* 239
. cultures, effect of emetine in 207
. *hystolytica* 239
. life-history in cultures 357
. *Iodamoeba butschlii* 239
. CILIATA
. *Balantidium coli* Malm. 239
. action of drugs, etc., on 66
. FLAGELLATA
. *Chilomastix mesnili* 239
. *Giardia intestinalis* 239
. *Heteromita* 10
. *Trichomonas hominis* 239
. *Trypanosoma gambiense* and *T. rhodesiense* 427
Reptiles, *see* Vermes

PAGE
Rooks, infested with *Syngamus trachea* 448
Rous-Sarcoma of Fowl, influence of Spirochaetosis on 119
Sarcoma, *see* Rous
Schistosoma, *see* Bilharzia
Spirochaeta, *see* Rous
Swallow, *Oeciacus vicarius*, bug parasite of 159

VERMES
. spp. infesting Kenya Highland natives 188
. ACANTHOCEPHALA from China 1
. *Hebesoma* n.g. 5
. *Hebesoma violentum* n.sp. from fish 6
. Hebesomidae n.fam. 9
. *Neosentis* n.g. 4
. *Neosentis celatus* n.sp. from fish 4
. Pallisentidae n.fam. 8
. *Pallisentis* n.g. 1
. *Pallisentis umbellatus* n.sp. from fish 2
. *Rhadinorhynchus exilis* n.sp. from fish 7
. CESTODA
. infesting Kenya Highland natives 188
. *Acoleus vaginatus* (Rudolphi)? 315
. *Anootypus* n.g. 56, 63
. *Anootypus edifontaineus* n.sp. from *Taurotragus* 56
. *ricardi* n.sp. from *Cobus*? 60
. *Biuterina fallax* n.sp. from *Merops* 316
. *meropina macrancristota* Fuhrm. 317
. *rectangula* Fuhrm. 317
. *Catenotaenia pusilla* (Goeze) 318
. *Cladotaenia cylindracea* (Bloch) 318
. *secunda* n.sp. 318
. *Corallobothrium solidum* Fritsch 325
. *Ichthyotaenia sulcata* Klaptocz 325
. *Lateriporus merops* n.sp. from *Merops* 308
. *Marsipocephalus rectangulus* Wedl. 326
. *Mesocestoides elongatus* from Wolf 317
. *Nematotaenia dispar* (Goeze) 318
. *Phyllobothrium lactuca* Beneden 326
. *riggii* Monticelli 327
. *Progynotaenia evaginata* Fuhrm. 315
. *flaccida* n.sp. from *Recurvirostra* 315
. *foetida* n.sp. from *Oedicnemus* 316
. *odhneri* Nybelin 316
. *Taenia hydatigena* (Pallas) 319
. *pisiformis* (Bloch) 319
. *taeniaeformis* (Batsch) 319
. *triserrata* n.sp. from *Felis* sp. 319
. *Taeniarhynchus saginatus* (Goeze) 320
. *Taufikia edmondi* n.g., n.sp. from *Gyps* 305
. Tetrabothriidae, systematics 320
. *Tetrabothrius dubius* n.sp. 322

VERMES PAGE
. CESTODA
. Tetraphyllidea, systematics 322
. *Unciunia sudanea* n.sp. from *Numida* 309
. NEMATODA
. from Nigerian Mammals, chiefly Rodents 280
. infesting Kenya Highland natives 188
. Ascaridae 281
. Ascaroidea 281
. *Capillaria pearsei* n.sp. from *Praomys*, etc. 303
. *Crenosoma* Molin 329
. *Crenosoma striatum* (Zeder) 330
. *taiga* n.sp. from *Kolonocus* 332
. *vulpis* (Dujardin) 331
. *Dicheilonema nodulosum* (Rud.) from *Lanius* 41
. *Dipetalonema* Diesing 33
. *Dipetalonema australe* (v. Linstow) from *Halmaturus*. 33
. *evansi* (Lewis) from camel 33
. *gracile* (Rud.) from *Cebus* 33
. *Diplotriaena* Railliet and Henry 42
. *Diplotriaena artemisiana* Schmerling from *Coracias* 48
. *monticelliana* (Stoss.) from *Silvia* 50
. *obtusa* (Rud.) from *Hirundo* 45
. *pungens* (Schneider) from *Turdus* 46
. *tricuspis* Fedtch. from *Corvus*, *Varanus* 44
. *tridens* (Molin) from *Lanius* 49
. *Dirofilaria genettae* n.sp. from *Genetta* 295
. *Dracunculus medinensis* (L.) from *Putorius* 53
. Filariidae 295
. Filariodea . . . . . 33 *et seq.*, 295 *et seq.*
. *Haematospiculum quadridens* (Molin) from *Asio* 39
. *Heligmonella* Monnig 291
. *Heligmonella affinis* n.sp. from *Mastomys* 287
. *gracilis* n.sp. from *Leggada* 288
. *impudica* n.sp. from *Taterona*, etc. 287
. *intermedia* n.sp. from *Lemniscomis* 290
. *monnigi* n.sp. from *Praomys*. 286
. *spira* Monnig 286
. *streptocerca* n.sp. from *Funisciurus* 288
. *trifurcata* n.sp. from *Funisciurus* 289
. *Heligmonina* n.g. 291
. *Heligmonina aenomyos* n.sp. from *Aenomys* 293
. *cricetomyos* n.sp. from *Crycetomys* 292
. *magna* n.sp. from *Protoxerus* 294
. *praomyos* n.sp. from *Praomys* 292
. *Heligmonoides* n.g. 294
. *Heligmonoides murina* n.sp. from *Leggada*, etc. 294
. *Heterakis spumosa* Schneider 282
. *Lissonema* v. Linst. 52
. *Lissonema rotundatum* v. Linst. from *Centropus* 53
. Metastrongylidae 329
. *Monopetalonema* Diesing 34

VERMES PAGE

NEMATODA

Monopetalonema physalurum (Bremser) from *Ceryle* 35
Obeliscoides nigeriae n.sp. from *Cricetomys* 285
Oxyuridae 282
Parastrongylus n.g. 284
Parastrongylus tateronae n.sp. 284
Physaloptera aduensis n.sp. from *Hybomys* 300
dispar v. Linstow 299
Physocephalus sexalatus (Molin) 298
Porocaecum 281
Protospirura muris (Gmelin) 296
muricola Gedoelst 297
Rictularia taterilli n.sp. from *Taterillus* 301
Serratospiculum tendo (Nitzsch) from *Falco* 41
Setaria Viborg 36
Setaria cornuta (v. Linst.) from *Cephalophus* 38
equina (Abildgaard) from horse and mule 36
labiato-papillosa (Aless.) from *Bos* 38
Spiruridae 296
Squamofilaria Schmerling 51
Squamofilaria coronata (Rud.) from *Coracias* 51
Strongyloidea 284
Subulura boueti (Gendre) 282
Syngamus trachea Montagu from *Corvus frugilegus* 448
Syphacia nigeriana n.sp. from *Praomys*, etc. 283
pearsei n.sp. from *Heliosciurus* 282
Trichinelloidea 303
Trichostrongilidae 285
Trichuris muris (Schrank) 303

TREMATODA

infesting Kenya Highland natives 188
Agamodistomum la-ruei n.sp. from *Procyon* 413
marcianae (La Rue) 416
ordinata (Nicoll) 417
putorii (Molin) 418
suis (Stiles) 418
tetracystis (Gastaldi) 416
Auridistominae, key to species 336
Brachysaccus Johnstone 342
Cercolecithos n.g. 340
Cercorchis Lühe 340
Cercorchis ercolanii (Monticelli) 344
necturi n.sp. from *Necturus* 343
Dolichopera Nicoll 342
Dolichosaccus Johnstone 342
Fasciola hepatica, on locomotion of Redia 113
Lecithopyge n.g. 341, 346
Lecithopyge rastellum cylindriforme n.subsp. 348
rastellum (Olsson) 347
subulatum n.subsp. 348
"Monostomum hystrix" (Molin) 348

VERMES PAGE
. TREMATODA
. *Protenes* Barker and Covey 341
. Striglidae (Holostomidae) 413
. Telorchiinae
. a review 336
. key to species 348
. *Telorchis* Lühe 341

CAMBRIDGE: PRINTED BY W. LEWIS, M.A., AT THE UNIVERSITY PRESS.